



PYROBREAK[™] EX14

Material Safety Data Sheet

IDENTITY:PYROBREAK[™] EX14

SECTION I - PREPARATION/PRODUCT INFORMATION

Manufactured and Supplied By:
PyroTech, Inc.
1120-A Republic Drive
Addison, IL 60101

Business Telephone: 630-628-1120
Date Prepared: July 1, 2000
Preparer: Roger W. Youngs
Product Use: Flame Retardant Coating

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

<u>HAZARDOUS COMPONENTS</u>	<u>EXPOSURE LIMITS</u>	<u>TOXICITY</u>	<u>AMOUNT</u>
CHEMICAL IDENTITY/CAS#/UN#	PEL TLV OTHER	LD50/LC50	%
NONE KNOWN			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: Approximately 212°F
FREEZING POINT: Approximately 34°F
VAPOR PRESSURE (mm Hg): Not Determined
VAPOR DENSITY (AIR=1): < 1
SOLUBILITY IN WATER: N/A
PERCENT SOLIDS: 40.0% ± 1.0%
SPECIFIC GRAVITY (H₂O=1): 1.12 (calc.)
pH: 6.2 ± 0.2
ODOR THRESHOLD (ppm): Not Determined
COEF. WATER/OIL DIST.: Not Determined
EVAPORATION RATE: Slower than water
WEIGHT PER GALLON: 9.3 ± 0.2
APPEARANCE (PHYSICAL STATE) AND ODOR:
Liquid: Clear Odor: Slight odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method): Not Applicable

EXTINGUISHING MEDIA: Carbon dioxide foam, Dry chemical, and Water fog.

SPECIAL FIRE FIGHTING PROCEDURE: Cool storage drums with water spray. Wear self-contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers exposed to extreme heat may rupture due to pressure buildup.

IGNITABLE YES:
NO: X

CONDITIONS: Not Applicable

HMIS RATING: 0

FLAMMABLE LIMITS LEL: Not Determined
UEL: Not Determined

AUTOIGNITION TEMPERATURE: Not Determined
SENS. TO MECHANICAL IMPACT: Not Determined
SENS. TO STATIC DISCHARGE: Not Determined
HAZ. COMBUSTION PRODUCTS: None known

SECTION V - REACTIVITY DATA

STABILITY STABLE: X
UNSTABLE:

CONDITIONS TO AVOID (Cond. of Reactivity): Highly alkaline materials.

INCOMPATIBILITY (Materials to Avoid): No hazardous reactions are expected to occur under normal trial conditions; however, product properties may be altered by mixing with some materials.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Thermal decomposition in the presence of air may yield carbon monoxide, carbon dioxide and/or ammonia.

HAZARDOUS POLYMERIZATION
MAY OCCUR:
WILL NOT OCCUR: X

CONDITIONS TO AVOID: None known

HMIS RATING: 0

SECTION VI - HEALTH HAZARD DATA

PRIMARY POINTS OF EXPOSURE

INHALATION: X
SKIN CONTACT: X
SKIN ABSORPTION:
INGESTION:
EYE CONTACT: X

HEALTH HAZARDS

ACUTE: None known
CHRONIC:

CARCINOGENICITY

NTP: No IARC: No OSHA: No

SIGNS AND SYMPTOMS OF EXPOSURE: See Health Hazards above.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known

OECD TEST VALUES FOR:

IRRITANCY: Not Determined
SENSITIZATION: Not Determined
REPRODUCTIVE TOXICITY: Not Determined
TERATOGENICITY: Not Determined
MUTAGENICITY: Not Determined
SYNERGISTIC PRODUCTS: Not Determined

HMIS RATING: 0

SECTION VII - FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: Remove from further exposure. If unconsciousness occurs, seek medical assistance and see a physician. If breathing has stopped, use mouth to mouth resuscitation.

INGESTION: Give copious amounts of water and call a physician. Do not induce vomiting or give anything by mouth to an unconscious person.

SKIN CONTACT: Remove contaminated clothing and cleanse skin thoroughly with soap and water. Seek medical attention if irritation, swelling, blistering or redness develop and persist.

EYE CONTACT: Holding the lids apart, flush contaminated eye(s) with a gentle stream of water for 15 minutes. If irritation or redness develop and persist, seek immediate medical attention.

SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Absorb with sawdust, diatomaceous earth, etc. Scrape up and remove to an appropriate waste disposal facility. Prevent spilled liquid from entering sewers, storm drains, and/or other unauthorized treatment/drainage systems and natural water-ways.

WASTE DISPOSAL METHOD: In accordance with all Federal, State, and Local regulations. Refer to Section X. All waste material should be reviewed to determine the applicable hazards (testing may be necessary).

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep product containers cool, dry and away from sources of ignition. Use and store this product with adequate ventilation. Keep product containers closed when not in use. Avoid subjecting this product to extreme temperature variations and freezing. Avoid contact with strongly alkaline materials.

OTHER PRECAUTION: In general, minimal health and safety hazards are expected from use of this product. When working with any chemical compound, prudent handling practices should be exercised and unnecessary exposure avoided. Launder saturated clothing before wearing.

SECTION IX - CONTROL MEASURES

RESPIRATORY PROTECTION: (Specify Type) The use of respiratory protection depends on vapor concentration above the time-weighted TLV. Use a respirator/gas mask with appropriate cartridges and canister (NIOSH approved if available), or supplied air equipment, depending on airborne concentrations.

VENTILATION

LOCAL EXHAUST: If general ventilation proves inadequate to maintain safe vapor concentrations supplemental local exhaust may be required.

MECHANICAL (General): May be sufficient to keep product vapor concentration within specified time-weighted TLV ranges.

PROTECTIVE GLOVES: Impervious

EYE PROTECTION: Chemical goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Protective clothing is advised as good chemical handling practice. The availability of eye washes and safety showers in work areas is recommended.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling.

SECTION X - ADDITIONAL INFORMATION

SPECIAL SHIPPING INFORMATION: NOT AVAILABLE

TSC INVENTORY STATUS: NOT KNOWN

SARA TITLE III:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF CFR 372:

NONE

RCRA STATUS:

THE FOLLOWING CHEMICAL COMPONENTS ARE LISTED UNDER (40 CFR 261) :

NONE

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY FITNESS FOR ANY USE OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATIONS OF THE INFORMATION, WE DO NOT ASSUME RESPONSIBILITY FOR THE RESULTS OF ITS USE. THIS INFORMATION IS FURNISHED ON THE CONDITION THAT PERSONS RECEIVING IT SHALL MAKE HIS OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS PARTICULAR PURPOSE AND ON THE CONDITION THAT HE ASSUMES THE RISK OF HIS USE THEREOF.